

## DISCHARGE PERMIT

Pursuant to Section 104B of the Resource Management Act 1991, the Otago Regional Council grants consent to:

Name: Dunedin City Council

Address: 50 The Octagon Dunedin, Dunedin

To discharge treated stormwater from the Resource Recovery Park Precinct to water within Kaikorai Stream.

For a term expiring 23 January 2060

Location of consent activity: Green Island Landfill, located at 9,114, 140, and 170 Brighton Road, Green Island

Legal description of consent location:

- 9 Brighton Road
  - Part Section 45-47 Green Island Bush Survey District and Section 54 and 63 Block VII and Section 119 Block VII Dunedin & East Taieri Survey District
  - OT11B/1241
- 9 Brighton Road
  - Part Section 45-47 Green Island Bush Survey District
  - OT368/19
- 9 Brighton Road
  - Section 1 Survey Office Plan 24047
  - OT15C/1016
- 9 Brighton Road
  - Lot 6-7 Deposited Plan 572543 and Section 1 Survey Office Plan 24040
  - 1040235
- 9 Brighton Road
  - Part Section 120 Dunedin & East Taieri Survey District and Part Section 53 Block VII Dunedin & East Taieri Survey District and Closed Road intersecting Sections 86,87,98,102 and 103 Block V Lower Kaikorai Survey District
  - OT16D/1193
- 9 Brighton Road
  - Section 103 Block V Lower Kaikorai Survey District and Part Section 85-87, 98 Block V and Part Section 99-101 Block V and Part Section 102 Block V Lower Kaikorai Survey District
  - OT16D/1194
- 9 Brighton Road
  - Lot 2, 4 Deposited Plan 572543 and Lot I Deposited Plan 20826
  - 1040233
- 114 Brighton Road
  - Part Section 38-40, Part Section 44 and Part Section 156 Green Island Bush Survey District

- OT7C/934  
140 Brighton Road
- Part Lot 4 Deposited Plan 4550
- OT12C/261  
170 Brighton Road
- Lot I Deposited Plan 20582
- OT12C/262  
170 Brighton Road
- Section 81 Block VII Dunedin & East Taieri Survey District
- OT15A/266

Map Reference of approximate midpoint of RRPP (NZTM2000): E1399447 N4913122

### **Conditions**

#### **Specific**

1. Under section 125 of the Resource Management Act 1991, this consent lapses five years after the date of commencement of the consent unless:
  - a) The consent is given effect to; or
  - b) The Consent Authority extends the period after which the consent lapses.
2. This consent is also subject to the General Conditions in Schedule 1 – General Conditions Relevant to All Consents. In the event of differences or conflict between the General Conditions and the conditions of this consent, the conditions of this consent prevail.
3. The stormwater management system must be constructed in general accordance with the Green Island Resource Recovery Precinct Stormwater Management Plan and Assessment of Effects (GHD, 19 February 2024) and the approved plans that were submitted in support of the application. Construction must be completed prior to commencement of operation of the RRPP. In the event of differences or conflict between the contents of the documents and the conditions, the conditions must prevail.
4. The operation of the stormwater management system must be in accordance with a Stormwater Management Operations and Maintenance Plan (SMOMP) with the overall objective of setting out details of the practices and procedures to be adopted to achieve compliance with the conditions of resource consent.
5. Prior to commencement of construction of the RRPP, the Consent Holder must submit a final SMOMP to Otago Regional Council. The final plan must be prepared to achieve the conditions of these resource consents and provided to the Otago Regional Council at least 15 working days prior to the commencement of operations to assess it has been prepared by appropriately qualified personnel in accordance with the conditions of consent and in accordance with good practice and for certification in accordance with General Condition 4.

6. The existing eastern sedimentation pond shown in Figure 6 of the Stormwater Management Plan and Assessment of Effects by GHD dated 19 February 2024 must be retained during the operation of the RRPP to collect and treat stormwater prior to its discharge to the Kaikorai Stream.
7. The existing northern leachate pond shown in Figure 6 of the Stormwater Management Plan and Assessment of Effects by GHD dated 19 February 2024 must be retained during the operation of the RRPP to collect and treat stormwater. The northern leachate pond must discharge to a pumping station of the landfill leachate collection system until the final capping of the landfill is completed, after which discharge may be redirected to discharge to the Kaikorai Stream.
8. All stormwater runoff from the RRPP site must be managed as follows:
  - a) Clean non-contaminated runoff from the site must be discharged via the northern leachate pond or the eastern sedimentation pond to the Kaikorai Stream.
  - b) Leachate contaminated stormwater that has or has potential to come into contact with waste or leachate must be directed to a pumping station of the landfill leachate collection system.
9. All sedimentation ponds and stormwater discharge systems associated with the RRPP must be maintained to enable ongoing operation at all times and restored as soon as practicable in the event of damage or faults.
10. The Consent Holder must undertake monitoring of surface water quality in accordance with the relevant conditions of resource consent 3840C-V1 for the discharge of surface water and stormwater to the Kaikorai Stream for the wider Green Island Landfill, or any subsequent replacement resource consent.
11. All stormwater assets must be maintained in accordance with the SMOMP.
12. Any spills of fuel, oil, leachate or similar contaminants to the environment must be contained and remediated as soon as practicable.
13. In the event that any spill of fuel, oil, leachate, or contaminants flows, or has the potential to flow into the eastern sedimentation pond or northern leachate pond, the spill will be remediated as soon as practicable.

Issued at Dunedin this 23<sup>rd</sup> day of January 2025



Alexandra King  
**Manger Consents**

## Schedule 1 – General Conditions Relevant to All Consents

1. The construction and operation of the RRPP (including all associated discharges of contaminants to land, water and air) must be undertaken in general accordance with the following documents, except where modified by other conditions of this consent. In the event of differences or conflict between the contents of the documents and the conditions, the conditions must prevail:
  - a) Waste Futures – Green Island - Design and Operations Report by GHD dated February 2023
  - b) Green Island Resource Recovery Precinct Stormwater Management Plan and Assessment of Effects by GHD dated 19 February 2024
  - c) Waste Futures - Green Island Resource Recovery Precinct - Groundwater Technical Assessment by GHD dated 23 February 2024
  - d) Green Island Resource Recovery Precinct Draft Contaminated Land Management Plan by GHD dated 16 February 2024
  - e) Site Environmental Management Plan by Enviro NZ dated February 2024
  - f) Draft Construction Environmental Management Plan by GHD dated 12 January 2024
  - g) Erosion and Sediment Control Plan by GHD dated 28 February 2024
  - h) Draft Stormwater Management Operation and Maintenance Plan by GHD dated 28 February 2024
  - i) Draft Composting Facility Management Plan by Enviro NZ dated February 2024
  - j) Green Island Resource Recovery Precinct Landscape Effects Assessment by Boffa Miskell dated 16 February 2024
  - k) Green Island Landfill Resource Recovery Precinct Ecological Assessment Report by Boffa Miskell dated 12 February 2024
  - l) Bird Hazard Report by Avisure dated February 2024
  - m) Draft Southern Black Backed Gull (SBBG) Management Plan by Avisure dated November 2023.
  - n) Affected Party Approval letter by Aukaha dated 14 March 2024.
  - o) Green Island Resource Recovery Precinct Air Quality Assessment by Pattle Delamore Partners dated January 2024
  - p) Waste Futures - Green Island Resource Recovery Precinct - Integrated Transport Assessment by GHD dated 28 February 2024
  - q) Green Island Resource Recovery Precinct Assessment of Acoustic Effects by GHD dated 27 February 2024
  - r) Waste Futures – Resource Recovery Park Precinct - Interim Social Impact Assessment by GHD dated 15 March 2024.
  - s) Resource Recovery Processing Precinct Site Options Assessment by GHD dated 20 October 2022
2. An alternative design or methodology to that proposed in the consent documents specified in General Condition 1 may be used if:
  - a) The adverse effects of the activity are demonstrated by the Consent Holder to be the same or less than the consented design or methodology; and
  - b) The alternative design or methodology has been provided under General Condition 4 to the Otago Regional Council and certification is obtained from the Otago Regional Council; or
  - c) The alternative design or methodology has been incorporated into the Operations Management Plan under General Condition 5 or any other management plan and

provided to the Otago Regional Council and certification is obtained from the Otago Regional Council.

3. These resource consents and a copy of the Otago Regional Council certified version of any management plan and design details required by these consents must be kept on site at all times, and the Consent Holder must ensure all relevant personnel are made aware of each document's contents.

### **Certification Process**

4. The Consent Holder must follow the process set out below for any plans, documents, designs or specifications (hereafter referred to as 'documents') requiring the certification of an officer of the Otago Regional Council:
  - a) Documents requiring certification must be submitted to the relevant officer in electronic and hard copy form for certification. The certification process must be confined to confirming that the documents adequately give effect to the relevant condition(s).
  - b) Subject to (c) and (e) below, works to which the documents relate must not commence until the Consent Holder has received written certification from the relevant officer.
  - c) If the Consent Holder has not received a response from the relevant officer within 20 working days of the date of submission under (a) above, or 2 months for the design of the biofilter, the documents must be deemed to be certified.
  - d) If the relevant officer's response is that they are not able to certify the documents they must provide the Consent Holder with reasons and recommendations for changes to the documents in writing. The Consent Holder must consider any reasons and recommendations of the relevant officer and resubmit amended documents for certification.
  - e) If the Consent Holder has not received a response from the relevant officer within 10 working days of the date of resubmission under (d) above, the documents must be deemed to be certified.
  - f) If the relevant officer's response is that they are still not able to certify the resubmitted documents, then the Consent Holder must nevertheless implement the resubmitted documents with a notation that certification of them has not occurred. This condition must not apply to the certification of the biofilter design required by General Condition 17(d).
  - g) Certified documents may be amended at the request of the Consent Holder at any time subject to recertification undertaken in accordance with General Condition 4(a) to (f) with references in those clauses to certification to be read as recertification.

### **Site Environmental Management Plan**

5. The operation of the RRPP must be undertaken in accordance with a Site Environmental Management Plan (SEMP) with the overall objective of setting out details of the practices and procedures to be adopted to achieve compliance with the conditions of resource consent.
6. The SEMP must be based upon the draft plan prepared by Enviro NZ submitted in support of the application, and must address how the following matters will meet any requirements, limits, or restrictions set out by the conditions of the resource consents:

- a) Leachate and stormwater management.
  - b) Erosion and sediment controls during construction and operation.
  - c) Types of organics to be accepted for compost processing and those that are prohibited.
  - d) Organics acceptance control and monitoring the types of waste accepted.
  - e) Odour and dust management.
  - f) Noise management.
  - g) Litter management.
  - h) Plant and animal pest management, including bird control.
  - i) Monitoring procedures, including locations, parameters, and frequency
  - j) Building and infrastructure inspections and maintenance.
  - k) Fire preparedness and response management.
  - l) Emergency management and contingency response procedures.
  - m) Complaints response procedures.
  - n) Record-keeping and reporting requirements.
7. Prior to commencement of operations at the RRPP, the Consent Holder must submit a final SEMP to the Otago Regional Council. The final plan must be prepared in consultation with Te Rūnanga o Ōtākou to achieve the conditions of these resource consents and provided to the Otago Regional Council at least 15 working days prior to the commencement of operations to assess it has been prepared by appropriately qualified personnel in accordance with the conditions of consent and in accordance with good practice and certification in accordance with General Condition 4.
8. By 1 July each year the Consent Holder must, in consultation with Te Rūnanga o Ōtākou, complete a review of the SEMP required by General Condition 5 to ensure that the management practices contained within them remain adequate to ensure compliance with the conditions of these consents. If amendments are made to a management plan, the amended plan must be submitted to the Otago Regional Council for recertification in accordance with General Condition 4.
9. The Consent Holder may make amendments to the SEMP required by General Condition 5 at any time. Any amendments must be made in consultation with Te Rūnanga o Ōtākou and submitted to the Otago Regional Council for recertification in accordance with General Condition 4.
10. The Consent Holder must appoint and retain an appropriately qualified and experienced person to supervise the operation of the RRPP.

### **Construction Environmental Management Plan**

11. The construction of the RRPP must be undertaken in accordance with a final Construction Environmental Management Plan (CEMP) with the overall objective of setting out details of the practices and procedures to be adopted to achieve compliance with the conditions of resource consent.
12. The CEMP must be based upon the CEMP and Contaminated Land Management Plan (CLMP) prepared by GHD submitted in support of the application, and must address the following (as a minimum):
- a) Administrative Requirements
    - i. Weekly site inspections

- ii. Monthly environmental reporting
  - iii. Independent audit by Suitably Qualified and Experienced Person
  - iv. Notification and management of environmental incidents
  - v. Records and registers
  - vi. Environmental roles and responsibilities of personnel (including nomination of Principal Contractor)
  - vii. Relevant contact information of those onsite and managing the construction or earthwork activities onsite; and
  - viii. Site induction
- b) Operational Requirements
- i. Erosion and sediment control measures
  - ii. Any soil, water, or air quality monitoring including sampling locations
  - iii. Contaminated land management
  - iv. Odour and dust management
  - v. Landfill gas management
  - vi. Archaeological and cultural heritage
  - vii. Chemical and fuel management
  - viii. Handling and disposal procedures for contaminated material encountered during the activity.
- c) Sufficient detail to address the following matters:
- i. Specific erosion and sediment control works (locations, dimensions, capacity etc);
  - ii. Supporting calculations and design drawings.
  - iii. Catchment boundaries and contour information.
  - iv. Details of construction methods.
  - v. Timing and duration of construction and operation of control works including traffic management.
  - vi. Contingency measures to address any unexpected or accidental discoveries of contamination or discharges identified at the site, which must include assessment by a suitably qualified and experienced person.
  - vii. Measures to avoid silt and/or sediment tracking onto roads and then to water for the duration of the earthworks, such as:
    - Providing stabilised entry and exit point(s) for vehicles
    - Providing wheel wash facilities
    - Cleaning road surfaces using street-sweepers immediately where sediment has been tracked onto the road
  - viii. Details relating to the management of exposed areas
  - ix. Landscape rehabilitation
  - x. Soil, air quality, groundwater and/or surface water monitoring requirements.
13. Prior to commencement of construction of the RRPP, the Consent Holder must submit a final CEMP to Otago Regional Council. The final plan must be prepared to achieve the conditions of these resource consents and provided to the Otago Regional Council at least 15 working days prior to the commencement of construction to assess it has been prepared by appropriately qualified personnel in accordance with the conditions of consent and in accordance with good practice and certification in accordance with General Condition 4.

14. The Consent Holder must submit an updated CEMP to Otago Regional Council when:
  - a) The construction program moves from one stage to another or
  - b) Any significant changes have been made to the construction methodology since the original plan was accepted; or
  - c) There has been an environmental incident and investigations have found that the management measures are inadequate.
15. Any updated versions of the CEMP must be submitted to Otago Regional Council for recertification in accordance with General Condition 4.
16. The Consent Holder must ensure that Otago Regional Council is provided with an electronic copy of the most current and complete version of the CEMP at all times.

### **Design and Construction**

17. At least 2 months prior to commencing the construction of any:
  - a) Any building within the RRPP;
  - b) Leachate collection system, for direct discharge to pump stations;
  - c) Stormwater collection, treatment and discharge system; and
  - d) Biofilter for the aerated static pile bunkers;the Consent Holder must submit a design report with specifications and design drawings to the Otago Regional Council for review to assess that they have been prepared by appropriately qualified personnel in accordance with the conditions of consent and in accordance with good practice, and certification in accordance with General Condition 4.
18. When completed, the works specified in General Condition 17 must be confirmed by a suitably experienced Chartered Professional Engineer (CPEng) that they have been completed in accordance with the design certified by the Otago Regional Council. A Construction Quality Assurance (CQA) report must be prepared and submitted by the Consent Holder to the Otago Regional Council within 3 months following completion of the works specified in General Condition 17.
19. Construction activities must be limited to between 7.00am to 6.00pm Monday to Saturday (inclusive). No work may occur outside of these times, or public holidays, except:
  - a) Works may occur outside these times from Monday to Saturday (inclusive) for the purposes of undertaking concrete pours, and where at least 48 hours notice is provided to all adjoining residential properties.
  - b) Works may occur outside these times where they are required to mitigate environmental effects or protect public health and safety.

### **Vegetation Management and Planting**

20. A Vegetation Management and Restoration Management Plan (VMRP) must be prepared by a suitably qualified person within six months of the granting of this consent. The purpose of the Plan is to manage the health and long term-replacement of the existing screening vegetation on the site and implement visual screening with the objective of ensuring the RRPP facilities are integrated into the surrounding landscape, visual effects are minimised and existing views of Pukemakamaka/Saddle Hill are maintained. The Plan must be developed in accordance with the recommendations contained in the



Green Island Resource Recovery Precinct Landscape Effects Assessment, Boffa Miskell dated Feb 2024 and in consultation with Te Rūnanga o Ōtākou. As a minimum the Plan must include:

- a) A survey of the health of the existing trees.
- b) Routine monitoring and maintenance of the existing trees to promote their health and long-term stability.
- c) Long-term post closure actions for the replacement of the existing trees, incorporating eco-sourced native species to enhance natural character, landscape, and amenity values, and their ongoing maintenance.
- d) Additional planting of the south-east bund, and along the north-east perimeter.
- e) A detailed programme of works, including timeframes for implementation, including early implementation of planting on the south-east bund within the first planting season following the granting of consent.
- f) Key responsibilities of onsite personnel.
- g) A review process that includes adjoining residential properties, Te Rūnanga o Ōtākou and Otago Regional Council.

21. The Vegetation Management and Restoration Plan must be submitted to the Otago Regional Council to assess that it has been prepared by appropriately qualified personnel in accordance with the conditions of consent and certification in accordance with General Condition 4.

22. The Vegetation Restoration Management Plan certified under General Condition 4 must be implemented in accordance with the timeframes specified in the Plan and the vegetation maintained on an ongoing basis by the Consent Holder.

### **Building Finishes**

23. All buildings must be finished in neutral colours (e.g Karaka Green) with a reflectivity value of less than 30% RV for walls and 20% RV for roofs in accordance with the plans and elevations submitted in support of the application. The neutral colour palette must be selected in consultation with Te Rūnanga o Ōtākou and must complement the surrounding landscape and natural character.

### **Noise Monitoring**

24. Within 1 month following full operation of all RRPP facilities commencing, the Consent Holder must conduct noise monitoring to confirm whether the operation of the RRPP complies with the designation noise limits in the Partially Operative Dunedin City District Plan.

- a) The monitoring must be carried out by a suitably qualified and independent acoustic practitioner, and at times of the day and night when there is the highest potential for noise to be generated.
- b) The consent holder must investigate the cause of any noise that exceeds the noise limits and remedy the cause as soon as practicable.
- c) A report describing the results of the noise monitoring and any changes made to the operation of the RRPP to achieve compliance with the noise limits must be provided to adjoining residential properties, and the Otago Regional Council within 1 month of the completion of the noise monitoring.

### **Pest Management**

25. A Pest Management Plan (PMP) must be prepared within 6 months of the granting of this consent. The purpose of the Plan is to eradicate mammalian pests (rodents and mustelids), and feral cats within the RRPP site as far as practicable. As a minimum the plan must include:
- a) Detailed pest management practices and procedures, including eradication methods.
  - b) Pest monitoring, including provision for reporting results to adjoining residential neighbours on a quarterly basis.
  - c) Key responsibilities of on-site personnel.
  - d) A plan review process.
26. The PMP must be provided to adjoining residential neighbours and then submitted to the Otago Regional Council to assess that it has been prepared by appropriately qualified personnel in accordance with the conditions of consent and certification in accordance with General Condition 4.
27. The PMP certified under General Condition 4 must be implemented on an ongoing basis during the operation of the RRPP by the Consent Holder.

### **Complaints**

28. A complaint management, investigation and reporting system must be maintained by the Consent Holder during construction and operation of the RRPP to record the receipt and management of complaints received about the operation, including those regarding odour or dust. The following details must be recorded:
- a) Type, date, and time of complaint;
  - b) Name and address of complainant (if available);
  - c) Location from which the complaint arose;
  - d) Wind direction at the time of complaint (if relevant);
  - e) The likely cause of the complaint;
  - f) The action taken as a result of the complaint; and
  - g) The response to the complainant.

The complaints record must be made available to the Otago Regional Council (with any personal information held redacted) on request.

29. The Consent Holder must publish contact details for the RRPP operator on its website for the purpose of receiving complaints.

### **Annual Monitoring Report**

30. The Consent Holder must compile an annual monitoring report on the operation of the RRPP, including:
- a) The status of RRPP construction and operation;
  - b) Any non-compliance with the conditions of these consents or difficulties in achieving the practices and procedures in the SEMP which have arisen in the preceding year and the measures taken to address them;

- c) Any emergency management procedures and contingency response procedures specified in the SEMP that were implemented during the preceding year;
- d) Collated summaries of and analysis of all data required under these consents, including:
  - i. The material brought onto the site for the manufacture of compost;
  - ii. The operation of the Organics Processing Facility (OPF), including the operational parameters of the composting bunkers, biofilter, and maturation windrows.
  - iii. The results of odour monitoring, including all field monitoring record sheets.
  - iv. Interpretation of the data, particularly with regard to OPF performance.
- e) Assessment of any complaints received.
- f) Mitigation and corrective measures initiated in response to monitoring.

The report must be forwarded to adjoining residential properties, Te Rūnanga o Ōtākou and Otago Regional Council by 1 October each year unless an alternative date is agreed in writing with the Otago Regional Council. The Consent Holder must make the report publicly available on the Dunedin City Council website.

### **Review of Conditions**

31. Pursuant to Section 128 of the Resource Management Act 1991 the Otago Regional Council may within six months of the anniversary date of these resource consents each year serve notice of its intention to review the conditions of these consents for the purposes of:
- a) Determining whether the conditions of this consent are adequate to deal with any adverse effect on the environment which may arise from the exercise of this consent and which it is appropriate to deal with at a later stage, or which becomes evident after the date of commencement of the consent;
  - b) Ensuring the conditions of this consent are consistent with any National Environmental Standards, relevant regional plans and the Otago Regional Policy Statement;
  - c) Ensuring the waste acceptance criteria conditions of this consent are consistent with applicable Ministry for the Environment and Environmental Protection Authority guidance, standards and notices, including for emerging contaminants;
  - d) Reviewing the requirements and frequency of monitoring and reporting required under this consent; or
  - e) Requiring the adoption of the best practicable option to reduce any adverse effect on the environment.

### **Advice notes**

1. *'RRPP' means Resource Recovery Park Precinct.*
2. *'Site' means all land within the Green Island Landfill designation boundary.*
3. *'Stormwater' means water running off from any impervious surface such as roads, carparks, roofs, as well as any other surface run-off that is collected and/or intercepted.*
4. *'Leachate' means water containing contaminants from waste recovery and disposal.*

5. *The following general conditions are outside the scope of these resource consents, however have been volunteered by the consent holder and are to be enforced by Otago Regional Council:*

- *Condition 19 – Construction Hours*
- *Condition 23 – Building Finishes*
- *Condition 24 – Noise Monitoring*